



USE WPC.
Save trees. Save earth.

HARDYPLAST®

WPC - replacing wood, plywood.

MOULDED WPC DOORS

DOOR ONE



Standard Thickness : 32 mm
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding
Custom sizes | Polishable & Paintable surface
Suits in High end Applications | Withstands chemicals



USE WPC.
Save trees. Save earth.

HARDYPLAST®

WPC - replacing wood, plywood.

MOULDED WPC DOORS



Standard Thickness : 32 mm
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding
Custom sizes | Polishable & Paintable surface
Suits in High end Applications | Withstands chemicals





HARDYPLAST®

WPC - replacing wood, plywood.

MOULDED WPC DOORS



Standard Thickness : 32 mm
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding
Custom sizes | Polishable & Paintable surface
Suits in High end Applications | Withstands chemicals



USE WPC.
Save trees. Save earth.

HARDYPLAST®

WPC - replacing wood, plywood.

MOULDED WPC DOORS

DOOR TWO



Standard Thickness : 32 mm
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding
Custom sizes | Polishable & Paintable surface
Suits in High end Applications | Withstands chemicals



USE WPC.
Save trees. Save earth.

HARDYPLAST®

WPC - replacing wood, plywood.


MOULDED WPC DOORS



Standard Thickness : 32 mm
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding
Custom sizes | Polishable & Paintable surface
Suits in High end Applications | Withstands chemicals

MOULDED WPC DOORS



Standard Thickness : 32 mm
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding
Custom sizes | Polishable & Paintable surface
Suits in High end Applications | Withstands chemicals



USE WPC.
Save trees. Save earth.

HARDYPLAST®

WPC - replacing wood, plywood.

MOULDED WPC DOORS

DOOR THREE



Standard Thickness : 32 mm
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding
Custom sizes | Polishable & Paintable surface
Suits in High end Applications | Withstands chemicals



USE WPC.
Save trees. Save earth.

HARDYPLAST®

WPC - replacing wood, plywood.

MOULDED WPC DOORS



Standard Thickness : 32 mm
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding
Custom sizes | Polishable & Paintable surface
Suits in High end Applications | Withstands chemicals



HARDYPLAST®

WPC - replacing wood, plywood.

MOULDED WPC DOORS





USE WPC.
Save trees. Save earth.

HARDYPLAST®

WPC - replacing wood, plywood.

MOULDED WPC DOORS

DOOR FOUR



Standard Thickness : 32 mm
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding
Custom sizes | Polishable & Paintable surface
Suits in High end Applications | Withstands chemicals



USE WPC.
Save trees. Save earth.

HARDYPLAST®

WPC - replacing wood, plywood.

MOULDED WPC DOORS



Standard Thickness : 32 mm
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding
Custom sizes | Polishable & Paintable surface
Suits in High end Applications | Withstands chemicals

MOULDED WPC DOORS



Standard Thickness : 32 mm
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding
Custom sizes | Polishable & Paintable surface
Suits in High end Applications | Withstands chemicals



USE WPC.
Save trees. Save earth.

HARDYPLAST®

WPC - replacing wood, plywood.

MOULDED WPC DOORS

DOOR FIVE



Standard Thickness : 32 mm
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding
Custom sizes | Polishable & Paintable surface
Suits in High end Applications | Withstands chemicals




USE WPC.
Save trees. Save earth.

HARDYPLAST®

WPC - replacing wood, plywood.

MOULDED WPC DOORS



Standard Thickness : 32 mm
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding
Custom sizes | Polishable & Paintable surface
Suits in High end Applications | Withstands chemicals

MOULDED WPC DOORS



Standard Thickness : 32 mm
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding
Custom sizes | Polishable & Paintable surface
Suits in High end Applications | Withstands chemicals



USE WPC.
Save trees. Save earth.

HARDYPLAST®

WPC - replacing wood, plywood.

MOULDED WPC DOORS

DOOR SIX



Standard Thickness : 32 mm
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding
Custom sizes | Polishable & Paintable surface
Suits in High end Applications | Withstands chemicals



USE WPC.
Save trees. Save earth.

HARDYPLAST®

WPC - replacing wood, plywood.

MOULDED WPC DOORS



Standard Thickness : 32 mm
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding
Custom sizes | Polishable & Paintable surface
Suits in High end Applications | Withstands chemicals

MOULDED WPC DOORS



Standard Thickness : 32 mm
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding
Custom sizes | Polishable & Paintable surface
Suits in High end Applications | Withstands chemicals

WPC
BOARDS

WPC
DOOR FRAMES

WPC
DOORS

WPC
DECKING

PVC HPL
GLOSS MATT

MOLDED
DOOR SKINS



Water
Proof



Termite
Proof



Borer
Proof



Fire
Retardant



Recyclable



visit us at
WPC CENTRE®
wpc materials & projects

a product brand of
HARDY SMITH®
wood plastic composite technologies

Line 1: +91.846 005 2427
Line 2: +91.6353 80 6253
E: info@wpc-centre.com
w: www.hardyplast.com