



USE WPC.  
Save trees. Save earth.

# HARDYPLAST®

WPC - replacing wood, plywood.

## MOULDED WPC DOORS

### DOOR ONE



Standard Thickness : 32 mm  
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60  
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding  
Custom sizes | Polishable & Paintable surface  
Suits in High end Applications | Withstands chemicals





USE WPC.  
Save trees. Save earth.

# HARDYPLAST®

WPC - replacing wood, plywood.

## MOULDED WPC DOORS

DOOR ONE



Standard Thickness : 32 mm  
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60  
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding  
Custom sizes | Polishable & Paintable surface  
Suits in High end Applications | Withstands chemicals





## MOULDED WPC DOORS

### DOOR ONE



Standard Thickness : 32 mm  
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60  
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding  
Custom sizes | Polishable & Paintable surface  
Suits in High end Applications | Withstands chemicals





USE WPC.  
Save trees. Save earth.

# HARDYPLAST®

WPC - replacing wood, plywood.

## MOULDED WPC DOORS

### DOOR TWO



Standard Thickness : 32 mm  
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60  
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding  
Custom sizes | Polishable & Paintable surface  
Suits in High end Applications | Withstands chemicals



## MOULDED WPC DOORS

DOOR TWO




Standard Thickness : 32 mm  
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60  
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding  
Custom sizes | Polishable & Paintable surface  
Suits in High end Applications | Withstands chemicals



## MOULDED WPC DOORS



DOOR TWO



Standard Thickness : 32 mm  
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60  
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding  
Custom sizes | Polishable & Paintable surface  
Suits in High end Applications | Withstands chemicals



USE WPC.  
Save trees. Save earth.

# HARDYPLAST®

WPC - replacing wood, plywood.

## MOULDED WPC DOORS

### DOOR THREE



Standard Thickness : 32 mm  
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60  
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding  
Custom sizes | Polishable & Paintable surface  
Suits in High end Applications | Withstands chemicals





USE WPC.  
Save trees. Save earth.

# HARDYPLAST®

WPC - replacing wood, plywood.

## MOULDED WPC DOORS

DOOR THREE



Standard Thickness : 32 mm  
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60  
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material | Perfect in screw holding  
Custom sizes | Polishable & Paintable surface  
Suits in High end Applications | Withstands chemicals



## MOULDED WPC DOORS



DOOR THREE



Standard Thickness : 32 mm  
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60  
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive Designs | High density material  
Perfect in screw holding | Custom sizes | Polishable & Paintable surface | Suits in High end Applications  
Withstands chemicals

WPC  
BOARDS

WPC  
DOOR FRAMES

WPC  
DOORS

WPC  
DECKING

PVC HPL  
GLOSS MATT

MOLDED  
DOOR SKINS



Water  
Proof



Termite  
Proof



Borer  
Proof



Fire  
Retardant



Recyclable