

WPC PRELAM DOORS


'Reuse - Reduce - Recycle - Re create.'

A green initiative by **HARDY SMITH**, India.

WPC PRELAM DOORS


HERITAGE MARVEL

ROYAL



Thickness range (mm): 24, 28, 30
Width range (inch): 26, 27, 30, 32, 33, 36, 38
Length range (inch): 75, 78, 81, 84

Exclusive Designs | High density materials | best screw holding
Custom sizes | Ready to Hung | Wooden finishes | Best for project supply




Thickness range (mm): 24, 28, 30
Width range (inch): 26, 27, 30, 32, 33, 36, 38
Length range (inch): 75, 78, 81, 84

Exclusive Designs | High density materials | best screw holding
Custom sizes | Ready to Hung | Wooden finishes | Best for project supply

WPC PRELAM DOORS

HS - 102



Thickness range (mm): 24, 28, 30
Width range (inch): 26, 27, 30, 32, 33, 36, 38
Length range (inch): 75, 78, 81, 84

Exclusive Designs | High density materials | best screw holding
Custom sizes | Ready to Hung | Wooden finishes | Best for project supply



WPC PRELAM DOORS

HS - 103



Thickness range (mm): 24, 28, 30
Width range (inch): 26, 27, 30, 32, 33, 36, 38
Length range (inch): 75, 78, 81, 84

Exclusive Designs | High density materials | best screw holding
Custom sizes | Ready to Hung | Wooden finishes | Best for project supply

WPC PRELAM DOORS

HS - 104



Thickness range (mm): 24, 28, 30
Width range (inch): 26, 27, 30, 32, 33, 36, 38
Length range (inch): 75, 78, 81, 84

Exclusive Designs | High density materials | best screw holding
Custom sizes | Ready to Hung | Wooden finishes | Best for project supply

WPC PRELAM DOORS

HS - 105




Thickness range (mm): 24, 28, 30
Width range (inch): 26, 27, 30, 32, 33, 36, 38
Length range (inch): 75, 78, 81, 84

Exclusive Designs | High density materials | best screw holding
Custom sizes | Ready to Hung | Wooden finishes | Best for project supply

WPC PRELAM DOORS

HS - 106



Thickness range (mm): 24, 28, 30
Width range (inch): 26, 27, 30, 32, 33, 36, 38
Length range (inch): 75, 78, 81, 84

Exclusive Designs | High density materials | best screw holding
Custom sizes | Ready to Hung | Wooden finishes | Best for project supply

WPC PRELAM DOORS

HS - 107




Thickness range (mm): 24, 28, 30
Width range (inch): 26, 27, 30, 32, 33, 36, 38
Length range (inch): 75, 78, 81, 84

Exclusive Designs | High density materials | best screw holding
Custom sizes | Ready to Hung | Wooden finishes | Best for project supply

WPC PRELAM DOORS

HS - 108



Thickness range (mm): 24, 28, 30
Width range (inch): 26, 27, 30, 32, 33, 36, 38
Length range (inch): 75, 78, 81, 84

Exclusive Designs | High density materials | best screw holding
Custom sizes | Ready to Hung | Wooden finishes | Best for project supply

WPC PRELAM DOORS

HS - 201



Thickness range (mm): 24, 28, 30
Width range (inch): 26, 27, 30, 32, 33, 36, 38
Length range (inch): 75, 78, 81, 84

Exclusive Designs | High density materials | best screw holding
Custom sizes | Ready to Hung | Wooden finishes | Best for project supply

WPC PRELAM DOORS

HS - 202



Thickness range (mm): 24, 28, 30
Width range (inch): 26, 27, 30, 32, 33, 36, 38
Length range (inch): 75, 78, 81, 84

Exclusive Designs | High density materials | best screw holding
Custom sizes | Ready to Hung | Wooden finishes | Best for project supply

WPC PRELAM DOORS

HS - 203



Thickness range (mm): 24, 28, 30
Width range (inch): 26, 27, 30, 32, 33, 36, 38
Length range (inch): 75, 78, 81, 84

Exclusive Designs | High density materials | best screw holding
Custom sizes | Ready to Hung | Wooden finishes | Best for project supply

WPC PRELAM DOORS

HS - 204



Thickness range (mm): 24, 28, 30
Width range (inch): 26, 27, 30, 32, 33, 36, 38
Length range (inch): 75, 78, 81, 84

Exclusive Designs | High density materials | best screw holding
Custom sizes | Ready to Hung | Wooden finishes | Best for project supply

WPC PRELAM DOORS

HS - 205



Thickness range (mm): 24, 28, 30
Width range (inch): 26, 27, 30, 32, 33, 36, 38
Length range (inch): 75, 78, 81, 84

Exclusive Designs | High density materials | best screw holding
Custom sizes | Ready to Hung | Wooden finishes | Best for project supply

WPC PRELAM DOORS

HS - 206



Thickness range (mm): 24, 28, 30
Width range (inch): 26, 27, 30, 32, 33, 36, 38
Length range (inch): 75, 78, 81, 84

Exclusive Designs | High density materials | best screw holding
Custom sizes | Ready to Hung | Wooden finishes | Best for project supply

WPC PRELAM DOORS

HS - 207



Thickness range (mm): 24, 28, 30
Width range (inch): 26, 27, 30, 32, 33, 36, 38
Length range (inch): 75, 78, 81, 84

Exclusive Designs | High density materials | best screw holding
Custom sizes | Ready to Hung | Wooden finishes | Best for project supply

MOULDED WPC DOORS

COLOUR RANGE



HS -01



HS -02



HS -03



HS -04



HS -05



HS -06



USE WPC.
Save trees. Save earth.

'Reuse - Reduce - Recycle - Re create.'

A green initiative by **HARDY SMITH**, India.

India Ahmedabad | Bangalore | Brahmapur | Bhubaneswar | Ranchi | Udaipur
Imphal | Indore | Singhana | Chitradurga | Ernakulam **International** Qatar | USA

WPC
BOARDS

WPC
DOORS

WPC
FRAMES

WPC
WINDOWS

WPC
DECKING

SPC
FLOORS

WPC
LOUVERS

PVC
MARBLES

3D PVC
PANELS



WPC CENTRE
Ahmedabad, Gujarat, India.

HARDYBOND
WPC ADHESIVE SYSTEM

HARDY SMITH[®]
wood plastic composite technologies

P: +91-79-400 66 928
M: +91-846 005 2427

E: info@wpc-centre.com
www.hardysmith.org